

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) A method for automatically setting up a Web site for editing comprising:
  - selecting a common file transfer path from a plurality of common file transfer paths;
  - generating a test file;
  - writing said test file through said a file transfer server using said selected common file transfer path;
  - requesting said test file from a Web server hosting said Web site;
  - determining said common file transfer path is valid when said test file is received from said Web server responsive to said requesting; and
  - selecting another common file transfer path from said plurality of common file transfer paths when said test file is not received from said Web server, wherein said method is repeated from said generating step using said another common file transfer path.
2. (Original) The method of claim 1 further comprising:
  - receiving file transfer server login information from a user; and
  - using said login information in said writing said test file step.
3. (Original) The method of claim 1 wherein said generating said test file comprises:
  - generating a randomized file name; and
  - generating randomized content for said test file.
4. (Original) The method of claim 3 further comprising:
  - comparing said test file received from said Web server responsive to said requesting, to said randomized name and said randomized content; and
  - validating said test file when said returned test file matches said randomized name and said randomized content.
5. (Original) The method of claim 1 further comprising:
  - comparing said test file received from said Web server responsive to said requesting, to said written test file; and
  - validating said test file when said received test file matches said written test file.

6. (Original) The method of claim 1 further comprising:  
requesting said file transfer path from said user when each of said plurality of  
common file transfer paths has been attempted.

7. (Original) A computer program product having a computer readable medium  
with computer program logic recorded thereon for automatically setting up a Web site for  
editing, said computer program product comprising:

- code for selecting a root directory name from of a plurality of standard Web server  
root directory names;

- code for generating a sample file;

- code for storing said sample file to said root directory name of a storing computer  
through a file transfer server;

- code for requesting retrieval of said sample file from a Web server hosting said Web  
site;

- code for determining said root directory name is authentic when said sample file is  
retrieved from said Web server; and

- code for selecting a next directory name from said plurality of standard Web server  
root directory names when said sample file is not retrieved, wherein said code is repeated  
from said code for generating using said next directory name.

8. (Original) The computer program product of claim 7 further comprising:

- code for obtaining file transfer server login information from a user; and

- code for logging onto said file transfer server using said login information.

9. (Original) The computer program product of claim 7 wherein said  
generating said sample file comprises:

- code for creating a random file name for said sample file; and

- code for creating random data for said sample file.

10. (Original) The computer program product of claim 9 further comprising:

- code for comparing said retrieved sample file to said random name and said random  
content; and

- code for validating said directory name when said retrieved sample file matches said  
random name and said random content.

11. (Original) The computer program product of claim 7 further comprising:  
code for comparing said retrieved sample file to said stored sample file; and  
code for validating said retrieved sample file when said retrieved sample file  
matches said stored.

12. (Original) The computer program product of claim 7 further comprising:  
code for requesting said Web server root directory name from said user when each of  
said plurality of standard Web server root directory names has been attempted.

13.—19. (Canceled)

20. (New) A method for automatically setting up a Web site for editing  
comprising:  
selecting a common file transfer path from a plurality of common file transfer paths;  
generating a test file, wherein said generating comprises:  
generating a randomized file name; and  
generating randomized content for said test file;  
writing said test file through a file transfer server using said selected common file  
transfer path;  
requesting said test file from a Web server hosting said Web site;  
comparing said test file received from said Web server responsive to said requesting,  
to said randomized name and said randomized content;  
validating said test file when said returned test file matches said randomized name  
and said randomized content;  
determining said common file transfer path is valid when said test file is received  
from said Web server responsive to said requesting; and  
selecting another common file transfer path from said plurality of common file  
transfer paths when said test file is not received from said Web server, wherein said method  
is repeated from said generating step using said another common file transfer path.

21. (New) A computer program product having a computer readable medium  
with computer program logic recorded thereon for automatically setting up a Web site for  
editing, said computer program product comprising:

code for selecting a root directory name from of a plurality of standard Web server

root directory names;

code for generating a sample file, wherein said generating comprises:

code for creating a random file name for said sample file; and

code for creating random data for said sample file;

code for storing said sample file to said root directory name of a storing computer through a file transfer server;

code for requesting retrieval of said sample file from a Web server hosting said Web site;

code for comparing said retrieved sample file to said random name and said random content;

code for validating said directory name when said retrieved sample file matches said random name and said random content;

code for determining said root directory name is authentic when said sample file is retrieved from said Web server; and

code for selecting a next directory name from said plurality of standard Web server root directory names when said sample file is not retrieved, wherein said code is repeated from said code for generating using said next directory name.